

Message

From: Strynar, Mark [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=5A9910D5B38E471497BD875FD329A20A-STRYNAR, MARK]
Sent: 8/14/2019 12:03:24 PM
To: Conley, Justin [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=8e08a48a85d141dba00d8377d89e9a3e-Conley, Jus]; McCord, James [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=McCord, James]
Subject: RE: Mixture analyses

We can do all three in one sample. Needs are generally only the IS label for each analyte if available (Nafion BP2 is not available). Assuming you have adequate native standard for each.

Mark

From: Conley, Justin <Conley.Justin@epa.gov>
Sent: Tuesday, August 06, 2019 10:29 AM
To: McCord, James <mccord.james@epa.gov>; Strynar, Mark <Strynar.Mark@epa.gov>
Subject: Mixture analyses

Hi Guys,

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

If so, is there anything that would be helpful for us to buy? (we've got some funds we need to spend before end of FY).

Cheers,

Justin Conley
Reproductive Systems Biologist
U.S. Environmental Protection Agency
ORD/NHEERL/TAD
Reproductive Toxicology Branch
Research Triangle Park, NC
(919) 541-3326